Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3132-VF05

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

(TG)	This Space for Architect/Engineer	Approval	
ChekPoint*	Job Name	Date	
ADA Compliant	Model Specified	Quantity	
Cold	Customer/Wholesaler		
	Contractor		
Ø2 1/2"	Architect/Engineer		
Cast Spout w/ 2.2 GPM [8.3 L/min] Vandal Resistant Aerator (Optional 0.5 GPM VR Non-Aerated Spray Device Included) Internal Above Deck Electronics w/ Flow Control Setting Switches. Powered w/ 6 VDC Lithium Battery. Hot Temperature Mixi w/ Color Coded Ir (Optional Plug Inc. Replace Handle V Temperature is P	ing Handle ndex cluded to When	7 11/16" [195mm]	
Mounting	<u> </u>		
Removable Anti-Rotation Pin 13/16" [21mm] 19" [483mm] Stainless Ster Hoses Optional 100-240 VAC Adapter w/ 71" [1800mm] Power Cord Check Valve w/ 3/8" Comp (9/16"-24 UN)	Flexible Water Tis Present Water Tis Present P	w/ Optional stalled When Femperature et (Included)	
Rough-In Requirement: Ø1 1/4" [32mm] Mounting Hole Ø3/16" [5mm] Anti-Rotation Pin Hole (Optional)			
Product Specifications:	Product Compliance:		
Chrome Plated Brass Above Deck Electronics Faucet, Single Hole I	Deck ASME A112.18.1 / CSA	ASME A112.18.1 / CSA B125.1	

Drawn: KJG Checked: GEF Approved: JHB Date: 08/26/16 Scale: 1:6 Sheet: 1 of 2

Mount, Cast Spout w/ VR Aerator, Optional 0.5 GPM VR Spray Device, Point-of-Use Temp. Control, Battery or AC Adapter Powered, 19" Flexible Stainless Steel Supply Hoses & 3/8" Compression Inlets

NSF 61 - Section 9 NSF 372 (Low Lead Content)

ANSI A117.1 (ADA)

UL 1951



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690


Model No.


EC-3132-VF05

Item No.


Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com







A maximum of (8) ChekPoint faucets can be powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer when connected using EC-ADEWIRE cables. (Both sold separately)





Optional Plug Replaces

Lever Handle When

Pre-setting Temperature





015425-45 VR Aerator Kev

018543-45 Torx T-20 VR L-Key

Flow Control Switches are Located Behind the Sensor. Remove Battery to Access Switches.

- * Switches are set to DEFAULT position:
 - Auto Time Out = 15 seconds
 - Shut Off Delay = 1 second
 - Auto Flush = ÓFF
- * Available Water Flow Control Selections:
 - Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
 - Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
 - Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

Product Specifications:

Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Deck Mount, Cast Spout w/ VR Aerator, Optional 0.5 GPM VR Spray Device, Point-of-Use Temp. Control, Battery or AC Adapter Powered, 19" Flexible Stainless Steel Supply Hoses & 3/8" Compression Inlets

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: KJG Checked: GEF Approved: JHB Date: 08/26/16 Scale: NTS Sheet: 2 of 2